----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

	FOFULATIO	MILITION I	S	CAN	ICER TINCIL	DEINCE		LOCAL FUBLIC I	THALLI	_
	.999 Populat nt Female	tion Est	33,850 49.7	 (Cancer in	cidence i	is for 1	.998)	Activities Reported	Number	Per 10,000
Perce	ent remare			 Primary Site			Number	Public Health Nursing		
Populat	ion per squ	are mile	34	í 				Total clients		
	in state		41	Breast			24	Total visits		
	ighest popu	ilation der	ngity	Cervical			4	Visits: Reason for	•	•
	owest popu			Colorectal			21	Gen hlth promotion		
/ 2 - 1	.owest popu.	iacion dens	SILY.)	Trachea, Bro	naha T		24	Infant/child hlth	•	•
_		1		!	nenus, Lu	ing	!		•	•
Age	Female	Male	Total	Prostate			23	Infectious & parasitic	•	•
0-14	3,220	3,390	6,620	Other sites			53	Circulatory	•	•
15-19	1,210	1,340	2,550	Total			149	Prenatal	•	•
20-24	960	1,000	1,970					Postpartum		
25-29	840	850	1,690	LOI	NG-TERM C	CARE	[
30-34	990	970	1,960)			'	WIC Participants	975	288
35-39	1,380	1,440	2,820	Community Opt	ions and	MA Waiv	er	<u>-</u>		
40-44	1,320	1,440	2,760	Programs	20110 0110		01	Clinic Visits		
45-54	2,160	2,330	4,490	l	# Client	- a	Costs	Immunization	•	
				l COP			241,044			
55-64	1,720	1,740	3,460	1		5 Ş	241,044	Blood pressure	•	•
65-74	1,470	1,380	2,850	MA Waivers *						
75-84	1,140	850	1,990	CIP1A	9	9 \$	455,008	Environmental Contacts		
85+	450	240	690	CIP1B	81	L \$1,	199,817	Env hazards	•	•
Total	16,830	17,010	33,850	CIP2	98	3 \$	910,770	Public health nuisance		
				COP-W	81 98 95	5 \$	323,601			
Age	Female	Male	Total	l CSLA	12	2	S47,862			
0-17	3,900	4,190	8,100	Brain Inj	3	3 Ś	121.792			
18-44	6,020	6,240	12,270	Total COP/Wvr			299,895	l		
45-64	3,880	4,070	7,950	10001 001,		, ,				
65+	3,060	2,470	5,530	; \$267,573 o	f the abo	ore Wair	rer costs	Health Education		
Total	16,830	17,010	33,850	were paid a				Community sessions	27	11
IULAI	10,030	17,010	33,030							
		5 1005		using COP f				Community attendance	2,456	722
	estimates			not included	d in abov	re COP c	osts.	School sessions	•	•
	ed in the 19			ļ				School attendance	•	•
	statistics		updated	* Waiver cost						
after t	he 2000 Cer	nsus.)		include fed	eral fund	ding.		Staffing - FTEs		
							[Total staff	9	
	EMPLO	OYMENT		ĺ			ĺ	Administrators	1	0.3
Average	wage for jo	obs covered	d	Home Health A	gencies		. \	Public health nurses		
	loyment Con			Patients				Public health nurses Public health aides	1	0.4
	erage wage			Patients per	10 000 5	oon	•	Environmental specialis		
	work, not			Lacrence ber	10,000 P	op.	.	Environmental specialis		•
OL	WOLK, HOL	Prace of I	Lesidelice.	Numaina Harta			, I	l		
1. —			- 7 - 7	Nursing Homes			4	10031 5:551 10		NTC.
	rce Estimat			Licensed bed			322	LOCAL PUBLIC HEAL		
	n labor for	cce	15,446	Occupancy ra			85.4%	(funding data not	availabl	e)
Numbe	r employed r unemploye		14,762	Residents on			272			
Numbe	r unemploye	ed	684	Residents age	ed 65 or	older				
Unem	ployment ra	ate	4.4%	per 1,000 j	population	on	48			
				·	_		'			

		379	Birth Order	Births	Percent	Marital	Status		
			First	139	37	of Moth	er	Births	Percent
Crude Live Birth Rate		11.2	Second	135	36	Married		266	70
eneral Fertility Rate	е	56.7	Third	66	17	Not mar	ried	113	30
-			Fourth or higher	39	10	Unknown		0	0
ive births with repor	rted		Unknown	0	0				
congenital anomalies		5 . %				Educati	on		
			First Prenatal			of Moth	-	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent		ary or less		<.5
Vaginal after			1st trimester	323	85		gh school	44	12
previous cesarean	6	2	2nd trimester	43	11	High sc		154	41
Forceps	8	2	3rd trimester	10	3	Some co		107	28
Other vaginal	312	82	No visits	2	1		graduate	73	19
Primary cesarean	32	8	Unknown	1	<.5	Unknown		, 5	0
Repeat cesarean	21	6	OIIICIIOWII		`	OTHERTOWIL		0	O
Other or unknown	0	0	Number of Prenata	1		Smokina	Status		
SCIEL OF WINIOWII	U	U	Care visits	Births	Percent	of Moth		Births	Percent
Birth Weight	Births	Percent	No visits	2	1	Smoker		97	26
<1,500 gm	1	0.3	1-4 visits	8	2	Nonsmok	er	282	74
1,500-2,499 gm	19	5.0	5-9 visits	62	16	Unknown		0	, 4
2,500 2,499 gm	359	94.7	10-12 visits	130	34	Olivilomi		O	U
Unknown	339	0.0	13+ visits	176	46				
JIIKIIOWII	U	0.0	Unknown	1/6	<.5				
	Total B	sirths	Low Birth Weight (under 2,500 gm)	1st Tr	Trimest imester		st Prenatal imester		/Unknown
Race of Mother	Total B Births P		-	Births		2nd Tr		Other	
			(under 2,500 gm)		imester	2nd Tr	imester	Other	
White	Births P	ercent	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
White Black	Births P	Percent 98	(under 2,500 gm) Births Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other, Births	Percent
White Black Other	Births P 373 0	Percent 98 0	(under 2,500 gm) Births Percent	Births 319	imester Percent 86	2nd Tr Births 42	Percent 11	Other, Births	Percent 3
White Black Other	Births P 373 0 6	98 0 2	(under 2,500 gm) Births Percent 20 5.4	Births 319 4	imester Percent 86 . 67	2nd Tr Births 42 1	imester Percent 11 . 17	Other, Births 12	Percent 3
White Black Other	Births P 373 0 6 0	98 0 2 0	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight	Births 319 4	imester Percent 86 . 67 . Trimest	2nd Tr Births 42 er of Fir	Percent 11 . 17 . st Prenatal	Other, Births 12	3
White Black Other Jnknown	373 0 6 0	98 0 2 0	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm)	Births 319 4	imester Percent 86 . 67 . Trimest	2nd Tr Births 42 1 er of Fir 2nd Tr	rimester Percent 11 . 17 . st Prenatal	Other, Births 12	Percent 3 . 17 . 'Unknown
White Black Other Jnknown Age of Mother	373 0 6 0 Fe	98 0 2 0	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight	Births 319 4	imester Percent 86 . 67 . Trimest	2nd Tr Births 42 1 er of Fir 2nd Tr	Percent 11 . 17 . st Prenatal	Other, Births 12	Percent 3 . 17 . 'Unknown
White Black Other Jnknown Age of Mother <15	373 0 6 0 Fe Births	98 0 2 0	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm)	Births 319 . 4 . 1st Tr Births	imester Percent 86 . 67 . Trimest imester Percent	2nd Tr Births 42 . 1 . er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent .	Other, Births 12	Percent 3 . 17 . /Unknown Percent
White Black Other Jnknown Age of Mother <15 15-17	### Births P 373	ercent 98 0 2 0 ertility Rate	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm)	Births 319 . 4 . 1st Tr Births . 7	imester Percent 86 . 67 . Trimest imester Percent . 54	2nd Tr Births 42 . 1 . er of Fir 2nd Tr Births . 2	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31
White Black Other Jnknown Age of Mother <15 15-17 18-19	### Births P 373	ercent 98 0 2 0 ertility Rate 54	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent	Births	mester Percent 86 . 67 . Trimestimester Percent . 54 66	2nd Tr Births 42 . 1 . er of Fir 2nd Tr Births . 2 7	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 10
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	### Births P 373	ercent 98 0 2 0 ertility Rate .	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent 4 5.7	Births 319 . 4 . 1st Tr Births . 7	imester Percent 86 . 67 . Trimest imester Percent . 54	2nd Tr Births 42 er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 . 10 . 3
White Black Other Jnknown Age of Mother <15 15-17 18-19	### Births P 373	ercent 98 0 2 0 ertility Rate 54	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent	Births	mester Percent 86 . 67 . Trimestimester Percent . 54 66	2nd Tr Births 42 . 1 . er of Fir 2nd Tr Births . 2 7	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 10
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births P 373 0 6 0 Fe Births 0 13 29 70	98 0 2 0 0 ertility Rate	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent 4 5.7	Births	mester Percent 86 . 67 . Trimestimester Percent . 54 66 80	2nd Tr Births 42 er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 . 10 . 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births P 373 0 6 0 Fe Births 0 13 29 70 124	Percent 98 0 2 0 Pertility Rate 54 73 148	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent 4 5.7 9 7.3	Births 319 . 4 . 1st Tr Births . 7 19 56 111	mester Percent 86 . 67 . Trimestimester Percent . 54 66 80 90	2nd Tr Births 42 er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 . 10 . 3
15-17 18-19 20-24 25-29 30-34	### Births P 373 0 6 0 0 6 0 0 6 0 0	Percent 98 0 2 0 Pertility Rate 54 73 148 101	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent 4 5.7 9 7.3 5 5.0	Births 319 . 4 . 1st Tr Births . 7 19 56 111 93	mester Percent 86 . 67 . Trimestimester Percent . 54 66 80 90 93	2nd Tr Births 42 er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent	Other, Births 12	Percent 3 . 17 . /Unknown Percent . 31 10 3
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	### Births P 373	98 0 2 0 ertility Rate 54 73 148 101 28	(under 2,500 gm) Births Percent 20 5.4 Low Birth Weight (under 2,500 gm) Births Percent 4 5.7 9 7.3 5 5.0 1 2.6	Births 319 . 4 . 1st Tr Births . 7 19 56 111 93 34	imester Percent 86 . 67 . Trimestimester Percent . 54 66 80 90 93 89	2nd Tr Births 42 er of Fir 2nd Tr Births	rimester Percent 11 st Prenatal imester Percent	Other, Births 12 . 1 . Visit Other, Births . 4 . 3 . 2 . 3	Percent 3

REPORTED*	CASES	OF	SELECTED	DISEASES

	Disease	Number
	Campylobacter Enteritis	6
	Giardiasis	0
	Hepatitis Type A	0
	Hepatitis Type B**	<5
	Hepatitis NANB/C***	
	Legionnaire's	0
	Lyme	0
	Measles	0
	Meningitis, Aseptic	<5
	Meningitis, Bacterial	0
	Mumps	0
	Pertussis	<5
	Salmonellosis	5
	Shigellosis	5
	Tuberculosis	0
_	1999 provisional data	

- Includes all positive HBsAq test results
- *** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	44
Genital Herpes	12
Gonorrhea	6
Nongonococcal Cervicitis	
Nongonococcal Urethritis	0
Syphilis	<5

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	6,144
Non-compliant	33
Percent Compliant	99.5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS 353 Crude Death Rate 1,043

Age	Deaths	Rate
1-4	1	
5-14		
15-19	1	•
20-34	4	•
35-54	24	238
55-64	38	1,097
65-74	72	2,526
75-84	97	4,869
85+	114	16,620

Infant

Mortality	Deaths	Rate
Total Infant	2	
Neonatal	1	
Postneonatal	1	
Unknown	•	

Race of Mother

2	
•	
	•

Birth Weight

<1,500 gm		
1,500-2,499 gm		
2,500+ gm	2	
Unknown		

Perinatal

Deaths	Rate
2	
1	
1	
	2 1 1

Selected

Underlying Cause	Deaths	Rate
Heart Disease (total)	83	245
Ischemic heart disease		
Cancer (total)	105	310
Trachea/Bronchus/Lung		
Colorectal	11	
Female Breast	7	. *
Cerebrovascular Disease	e 31	92
Lower Resp. Disease		
Pneumonia & Influenza	9	
Injuries	13	
Motor vehicle	7	
Diabetes	8	
Infectious & Parasitic	5	
Suicide	3	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	5	
Other Drugs	3	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	462	9
Alcohol-Related	85	5
With Citation:		
For OWI	18	0
For Speeding	29	0
Motorcyclist	29	0
Bicyclist	7	0
Pedestrian	1	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	TALIZATIONS DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
							_		<u> </u>		
Injury-Related						Alcohol-Relate					
Total	292	8.6	4.4	\$10,085	\$87	Total	49	1.4	4.1	\$2,911	\$4
<18	12	•	•	•	•	18-44	27	2.2	3.2	\$2,124	\$5
18-44	81	6.6	3.4	\$9,361	\$62	45-64	16		•	•	•
45-64	52	6.5	4.1		\$66	Pneumonia and	Influenza				
65+	147	26.6	5.0	\$10,122	\$269	Total	154	4.6	4.2	\$5,871	\$27
Injury: Hip	Fracture					<18	24	3.0	3.5	\$5,025	\$15
Total	48	1.4	5.5	\$10,920	\$15	45-64	27	3.4	3.9	\$6,502	\$22
65+	45	8.1	5.7	\$11,032	\$90	65+	95	17.2	4.5	\$5	\$0
Injury: Pois	onings					Cerebrovascula	r Disease				
Total	11					Total	132	3.9	4.4	\$7,893	\$31
18-44	8					45-64	22	2.8	4.9	\$11,158	\$31
						65+	108	19.5	4.3	\$7,183	\$140
Psychiatric						Chronic Obstru	ctive Pulm	nonary I	Disease	, ,	
Total	145	4.3	9.1	\$6,472	\$28	Total	66	2.0	3.8	\$4,903	\$10
<18	38	4.7	8.4	\$6,125	\$29	<18	13			7 2 7 2 3 3	7-0
18-44	65	5.3	8.2	\$5,836	\$31	18-44	4				-
45-64	25	3.1	12.5	\$7,778	\$24	45-64	15	•	•	•	•
65+ 17			<i>φτ,ττ</i> ο	,	65+	34	6.2	4.2	\$5,089	\$31	
	•	•	•	•	Drug-Related	31	0.2	1.2	φ3,003	Ųσ±	
Coronary Heart	Digasca					Total	10				
Total	207	6.1	4.0	\$15,749	\$96	18-44	5	•	•	•	•
45-64	75	9.4		\$18,207	\$172	10 44	5	•	•	•	•
65+	124	22.4		\$14,774	\$331	 Motol Hogoital	i				
05+	124	22.4	4.1	\$14,774	\$331	Total Hospital Total	3,801	112.3	4.0	\$7,367	\$827
Walismant Noon	1 a a m a . (C a	\	. 311			10ta1 <18	•				\$027 \$259
Malignant Neor				40 (10	à E C	<u> </u>	612	75.5	3.2	\$3,435	
Total	196	5.8	5.0	\$9,619	\$56	18-44	848	69.2	3.0	\$5,066	\$350
18-44	11	•		40 054		45-64	795	99.9	4.4	\$9,560	\$955
45-64	66	8.3	4.5	\$9,254	\$77	65+	1,546	279.7	4.7	\$9,058	\$2,533
65+	119	21.5	5.5	\$9,894	\$213	<u> </u>					
Neoplasms: E		-				I		-			
Total	20	1.2	2.0	\$7,885	\$9	Total	493	14.6	3.9	\$5,213	\$76
Neoplasms: C						<18	65	8.0	3.0	\$3,661	\$29
Total	27	0.8	7.2	\$14,844	\$12	18-44	35	2.9	2.9	\$3,837	\$11
65+	23	4.2	7.3	\$15,440	\$64	45-64	90	11.3	3.4	\$5,290	\$60
Neoplasms: I						65+	303	54.8	4.4	\$5,683	\$311
Total	25	0.7	6.8	\$10,114	\$7	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization					
Diabetes						The definition of preventable hospitalizations in 1999					
Total	46	1.4	5.7	\$10,285	\$14	is consistent with the 1997 definition.					
65+	18			, ,		Please refer to t				this page	e in the
33.	10	•	•	•	•	1997 report for 1996 and 1997.					